


# Breathe Easy: Model and control of simulated respiration for animation

Victor B. Zordan, Bhriгу Celly, Bill Chiu, and Paul C. DiLorenzo<sup>†</sup>

University of California Riverside



## Abstract

*Animation of the breath has been largely ignored by the graphics community, even though it is a signature movement of the human body and an indicator for lifelike motion. In this paper, we present an anatomically inspired, physically based model of the human torso for the visual simulation of respiration using a mixed system of rigid and deformable parts. This novel composition of anatomical components is necessary to capture the key characteristics of breathing motion visible in the human trunk because the movement is generated fundamentally through the combination of both rigid bone and soft tissue. We propose a simple anatomically meaningful muscle element based on springs, which is used throughout both actively to drive the motion of the ribs and diaphragm and passively for other muscles like those of the abdomen. In addition, we introduce a straightforward method for preserving incompressible volume in deformable bodies to use in approximating the motion of the gut related to breath. Through the careful construction of this anatomically based torso, control for respiration becomes the generation of periodic contraction signals for a minimal set of two muscle groups. We show the flexibility of our approach through the animation of several breathing styles using our system and we verify our results through video and analytical comparisons.*

Categories and Subject Descriptors (according to ACM CCS): I.3.5 [Computer Graphics]: Three Dimensional Graphics and Realism:Animation; I.3.7 [Computer Graphics]: Computational Geometry and Object Modeling, Physically-Based Modeling


## 1. Introduction

Breathing is a critical body function and its motion is a tell-tale signature for the living. At rest or asleep, the involuntary movement of the trunk is predominantly driven by the complex biological process of the breath. However, in animation, respiration and its deformation of the torso have remained stylistic and are often overly simplified or ignored entirely. To create a believable moving body, especially within and around the torso, and to visually bring a character to life, the movement caused by breathing is invaluable. In this paper, we present a system which mimics the biological functions of respiration through a simple, physically based, anatomically inspired simulation with the goal of synthesizing the motion associated with human breath for computer animation.

To capture the many and complex interactions that are seen between the variety of components related to breath, a physical anatomical model is an obvious choice. This approach is superior to describing the motion procedurally because the functions of breath interplay in complex ways and are difficult to explain heuristically because of the mixing of deformation and rigid body motion. The movement associated with breath could be isolated during capture with data-driven skin deformation approaches [ACP02, SMP03] but a physical simulation will allow finer control over the subtleties of the movement and can encapsulate a range of breathing behaviors in a single representation that can generate novel motion immediately without the need for additional recording.

To create the overall visual effects found in the motion of breath, we propose a simple composite simulation which

<sup>†</sup> e-mail: vbz | bcelly | bill | pdiloren@cs.ucr.edu



**Figure 1:** Full skeletal model in lotus position, image from an animation of calm breathing. This figure shows the combination of rigid-body bones and deformable gut as well as secondary elements (bones) added for the shoulders and arms.

combines rigid-body dynamics with elastically deformable bodies. The simulation uses spring-based muscles to estimate forces that pull and deform the bodies and estimated pressure forces to preserve the volume of the deformable components. Because the human body incorporates soft, deformable organs and muscles with (mostly) rigid bones, approaches which capture only one form of motion, deformable or rigid-body, are insufficient and will lead to either computational limitations or a lack of flexibility. The use of rigid bodies and spring-based systems has appeared in numerous research and commercial arenas associated with graphics, but few have discussed the interaction of such systems [OZH00, BW97]. Further, none to our knowledge have proposed a system of like scale which seamlessly combines such components. While we choose individual simulations of the base components that are each simple and well-understood, our approach is novel in its use and integration of these components and affords our top-level goal to faithfully recreate the complex motion associated with breath.

## 2. Background

Visual and physical simulation of synthetic anatomical muscles has been described for several applications related to modeling and animation, for example in the head and face [PB81, Wat87, TK90, LTw95, KHYS02], the hand [GMTT89, AHS03], and for skeletal muscles [CZ92, SPCM97, WG97, NT98, TBHF03]. Visual simulation of skeletal muscles has been approached procedurally through heuristic shape changes made in response to bone movement [SPCM97, WG97]. These examples model the change in shape of a muscle through geometric muscle bellies that stretch and deform based on length. Such procedural techniques have been adopted in the entertainment industry and used extensively for movies such as Disney's

Dinosaur [Dis00]. Physically based approaches for skeletal muscles include the work of Chen and Zeltzer [CZ92] who use a biologically based muscle model to generate proper muscle force and Teran and colleagues who use a finite volume method (FVM) to create a continuous internal-tension based muscle simulation [TBHF03]. Both show results of deformation on the muscles systems of a single limb. In addition, Nedel and Thalmann propose the use of a spring-mass system as an alternative for real-time applications [NT98]. Closest to our own efforts are respiration models of Kaye et al. [KMJ97] who animate deformable lungs for clinical applications based on a model built from CT scans and simplified cardiopulmonary mechanics and the constraint-based solver of Promayon et al. [PBP97] which models the deformation of the abdomen during calm breath. However to the best of our knowledge, ours is the first work to investigate the animation of breath by simulating the motion of both the ribcage and gut.

Our system combines a custom deformable simulation system, that preserves volume based on pressure, with an available rigid-body dynamics solver, Open Dynamics Engine [Smi03]. Since the pioneer work by Terzopoulos et al. [TPBF87, TF88] introducing the use of differential equations to animate deformation, numerous researchers have suggested techniques for interactive and multi-resolution deformable simulation, including [JP99, DDCB01, CGC\*02, GKS02, MDM\*02]. In general, exact volume preservation is not guaranteed by a given deformation system, though it may afford a *structurally* supported volume, for example, by constructing objects using 3D tetrahedrons elements, as Muller and his colleagues demonstrate [MDM\*02]. Deformation with explicit volume preservation has been managed in fewer cases: several suggest techniques using constraint solvers and optimization [PB88, RSB96, PBP97]; Cani-Gascuel and Desbrun use implicit surfaces and add a translation function to the surface displacement to account for changes in volume [CGD97]; and Teran and colleagues allow for preservation through a volumetric term added to the internal tension of a muscle modeled with FVM [TBHF03]. Also, a real-time approach is offered by Stahl and colleagues for simulation of tissue volume with a constrained “bag of particles” [SET02].

While rigid-body dynamics is well-understood and described in many texts, control for motion has been the focus of most rigid-body related papers found in the literature for computer graphics. Though no truly general solutions for control have been offered to date, most have simplified muscle activation to torque-generated actuation. Because we use direct muscle force activation in lieu of torque-driven motion, we save remarking on these many efforts for brevity. Techniques using force-based controllers for simulated behaviors are much less common, two examples being the spring-actuated controllers employed to animate flexible models for snakes and fishes [Mil88, TT94]. To create behaviors for slithering and swimming, control systems are constructed with hand-tuned input parameters for sinusoids that move the body through coordinated forces. Follow-up work shows that optimization is useful in generating these control parameters automatically [GT95]. Other related approaches introduce alternative methods for


controlling free-form deformations and mass-spring lattices [WW90, FvdPT97, CMN97].

Data-driven methods offer alternative approaches to physically based models for creating realistic motion. Most recently, capture technologies like full-body scanners, motion-capture systems, and high-resolution digital cameras have given rise to full-body reconstruction [ACP03, SMT03] and data-driven animation with deformation [CTMS03, SMP03]. Allen and colleagues also present a data-driven approach that animates muscle deformation by interpolating scans, showing results that include visually compelling muscle flexing and stretching [ACP02]. Captured examples undoubtedly contain considerable detail about the real world but data-driven approaches may fail to produce realistic deformation for conditions far different from those embedded in the given dataset. Thus, while these methods have been shown to produce impressive results, the use of fundamental physical models holds greater promise for general synthesis under novel situations.

### 3. Respiration mechanics

As a foundation for the remainder of this paper, we briefly introduce the functions and constituents of human breath and define the pertinent technical vocabulary. In support of our goals associated with faithful representation of anatomical breathing, we learned a great deal about the mechanics of respiration and the muscles involved from various helpful references [Min93, SH71, Tow00, Gra77, Tak94]. The visual motion of human breath is derived from two actively moving muscle groups - the diaphragm and the intercostal muscles attached to the ribs. These two active components lead to the movement of the chest, shoulder, arms and abdomen and even, through the spine, the involuntary motion of the head associated with breath. In the ribcage, the inner-and-outer intercostal muscles between the ribs change the shape of the ribcage overall and drive passive deformations of many of the chest and back's muscles. The diaphragm, found at the base inside the ribcage and attached along its perimeter, works with the rib muscles to expand the lung cavity. During relaxed breath, this muscle, shaped like an inverted bowl, pushes downward on the internal organs below, creating the reciprocal motion in the abdomen wall. Ironically, for the sake of visual simulation, the lungs - critical to actual breath - do not affect the outward appearance of the trunk in noticeable ways during regular respiration.

Functionally, the control that drives breath is split between two moving systems: the ribcage and diaphragm/abdomen. These parts move in a synchronized manner and do affect each other but have unique control input based on their own neural activations [Min93] and very different means for using the active muscles described during inhale and exhale. The outer and inner intercostals act in opposition to each other and, based on the relative position of their origin and insertion points, they allow the ribcage to open and close on its own. In contrast, the movement of the abdomen wall surrounding the gut is indirectly driven by the pumping of the diaphragm and stores potential energy through inhalation to reset the diaphragm during exhalation. During inhale, the balance of surface tension and increased internal pressure caused by the downward plunging diaphragm yields the



**Figure 2:** Composite trunk for breath simulation. Rigid bodies shown in light gray, deformable surfaces for the diaphragm, rectus, and transversus/obliques shaded in rust, pink and blue (respectively), and some approximately 1500 muscle-spring elements shaded based on various groupings. Pelvis and dark shaded areas are fixed in this model.

movement of the abdomen wall. As the diaphragm moves downward, the front and sides of the abdomen move outward. Upon exhalation, as the diaphragm relaxes and the pressure drops, the muscles of the abdomen release slowly, leading to a gentle return.

### 4. Anatomical spring-muscle elements

To form larger muscle groups, we derive a simple element that will be connected in parallel and in series to form muscles of choice. We propose controllable, spring-like muscle elements based on two fundamental assumptions about real muscles, first anatomical muscles may contract, but cannot expand, actively, and second, muscles contain a damping component that *acts* to resist contraction based on the speed of shortening. The latter is supported by the findings of Hill, as cited by Chen and Zeltzer [GH24, CZ92]. The former (which is easily understood by considering the likeness muscles to rubberbands) implies that muscle forces must only act in tension and have negligible (zero) force in compression. Functionally, expansion must be triggered by opposing contraction of the form found in the muscle pairs of the intercostals in the ribcage, or by some other external influence, like the pressure difference which compels the return of the diaphragm during exhale. Thus, only after being stretched during exhale. And, important for controlled breathing, after muscles are stretched and in tension, they damp and resist contractive movement to form a slow passive release to rest as seen in the abdomen's relaxation during exhale.

Given these constraints, we propose the following simple calculation for passive elemental muscle forces based on the length of the element,  $\ell$ , and its derivative  $\dot{\ell}$ :


$$F_m = \min[-k(\ell - \ell_o) - b\dot{\ell}, 0], \quad (1)$$

where  $k$  and  $b$  are the stiffness and damping gains of the element and  $\ell_o$  is its rest length. This piecewise-linear function acts like a linear spring and damper unless the value computed is positive in which case it is set to zero, invalidated by our non-compressive constraint. Neff and Fiume point out that two linear springs can equivalently replace the single [NF02], and, as such, to create actuation in the spring elements while maintain a separate passive muscle characteristic, we modify the force calculation to

$$F_m = \min[-\alpha k_{ac}(\ell - r\ell_o) - k_{pe}(\ell - \ell_o) - b\dot{\ell}, 0] \quad (2)$$

where  $k_{ac}$  and  $k_{pe}$  are the *active contraction* and *passive elastic* gain values. The actuation is controlled based on  $r$ , the desired contraction ratio for  $\ell_o$  and the normalized actuation level  $\alpha$ . While we use linear parts, we model our terms after the more sophisticated Hill-type models, adapted from Zajac [Zaj89].

Our muscle-element model is both simple to compute and intuitive to tune, especially related to the passive effects and controlled damping of a muscle, as mentioned an important behavior in breathing. Note, Equation 2 allows a ‘virtually’ positive damping component, that may be included as long as the net force of the muscle remains negative. This prevents the muscle from contracting too quickly (actively or passively), while helping to reduce large contractile forces before they are applied. And, by maintaining a unique component for passive elasticity, the muscles’ passive characteristics may be determined separately, for example through simpler (passive) experimentation. Then, to tune active motion, the properly tuned passive and damping components provides a good starting point for the actuation tuning associated with the specific desired, controlled behavior.



**Figure 3:** Intercostal spring elements. The outer intercostals contracting during inhale on the left, inner intercostals on the right during exhale, color intensity indicates local contractive force magnitude with slack springs shown gray.

As seen in Figure 2, we model whole muscles as sets, or groups, of individual muscle elements which act on neighboring muscles and bones based on their local attachments points. Attachment points mimic the continuous origin and insertion points of the muscles in the human body with discrete sparsely sampled insertions of the elements as in Figure 3.

## 5. Articulate rigid-body thorax

Rigid-body simulation for skeletal motion has saturated the field and versions appear regularly in films and games, but our use of rigid bodies is quite different than many reported. Most often, the trunk is broken into one to three, possibly five, rigid sections - splitting along the spine and, at times, incorporating clavicle motion in the shoulders. In order to create a faithful simulation of breathing motion, the individual movement of the ribs is required and our simulation of the ribcage includes the rigid-body segments for the spine plus ten moving ribs per side, and a separate body for the sternum where dynamic parameters are estimated based on the geometric models’ volume and uniform density. To create many of the animations for this work, we also include rigid-body arms with three rigid sections for the combined shoulder/clavicle and upper and lower arms.

To afford the desired range of motion, we use mixed forms of connections, based on the amount of ‘play’ desired. For true bone-to-bone connections, we use ball joints, for example connecting the ribs to the spine and the ball joint of the shoulder at the top of the upper arm. We use a structurally stable configuration of spring elements to mimic more flexible connections, for example attaching the front of the ribs to the sternum. This connection in the human body is made with flexible cartilage. For the sake of simulation complexity, we opt to make this simple approximation of the cartilage and allow the springs to incorporate the small amount of play required for a reasonable range of motion. Incidentally, with fixed ball joints connecting the ribs to the sternum, the rigid-body simulation becomes overly constrained and an unsuitable range of motion results.

Unlike many approaches for driving rigid-body motion with joint control torques, we exclusively use forces, computed from our spring-muscles elements, to drive the movement of the rigid components. Relatively few animation works describe using such techniques, even though the general approach more closely matches the motion induced in real human. And, with the use of realistic insertion points and valid, non-compressive muscle forces (that pull, but not push,) this technique helps to constrain the possible movements and yields an easily controlled rigid-body system. For example, rather than deciphering the complex torque input required to move each rib in a proper oscillation for steady-state breath, the interleaved contraction of the inner and outer intercostal muscles leads to valid, stable movement without the need for extraneous collision detection between the ribs or any form of high-level feedback within the controller.

Through experimentation, we found that a small amount of joint friction produces pleasing results. Initially, we made the assumption that the joints were frictionless - the shape of bone interfaces and the slippery cartilage between work to minimize friction and support this assumption. However, after several attempts to discern the cause of the proper sway of the spine in conjunction with breath, we added rotational friction of the form:

$$\tau_{fric} = -\mu\dot{\theta} \quad (3)$$

to the connective joints between the ribs and the spine. The torque,  $\tau$ , is applied at the joints between the spine and the

ribs, based on each joint’s angular velocity,  $\dot{\theta}$ , and friction coefficient  $\mu$ . Through these friction-based torques, as the ribs move, the spine moves. For example during a deep inhale, as the ribs are pulled upward, the spine moves backward in a visually pleasing manner.

## 6. Volume-preserving deformation

We synthesize the motion of the abdomen wall by modeling the gut as a deformable, incompressible volume. In the human gut, the intestines and other internal organs lay inside the thorax liner and are flexibly displaced as the diaphragm pushes down during inhalation, subsequently pushing on the muscles of the abdomen. We abstract away the internal organs and consider only their effect on the sealed liner, treating the gut as a closed system that encases the inner organs. The assumption here is that the bulk of the gut’s volume is incompressible and that the effects of the local structure, the intestines for example, are negligible compared to the incompressibility constraints. Supporting this assumption, we combine a simple deformable surface model with a straightforward volume-preserving routine.

### 6.1. Deformable bodies


During inhale, the change in shape of the abdomen wall is dictated largely by the passive resistance of muscle elements associated with the transversus, the inner and external obliques, and the rectus. We model this layer of muscles along with the gut liner using strands of spring-muscle elements that follow the nominal directions of the actual muscles around the abdomen, as seen in Figure 2. A synthetic diaphragm lies at the top of the gut ‘body’ and changes shape based on its own contraction as well as the internal pressure forces of the gut. A fixed backside and bottom are added to the gut-body system to complete the sealed volume. For deformation, the system computes the associated spring-muscle forces from the abdomen and diaphragm muscle groups and applies them to a distribution of point masses placed at the spring intersections, updating the  $j$  masses simply using simple explicit Euler integration:

$$\begin{aligned} \dot{x}_j^{n+1} &= \dot{x}_j^n + \frac{F_j^n}{m} dt, \\ x_j^{n+1} &= x_j^n + \dot{x}_j^{n+1} dt \end{aligned}$$

where  $m$  is the equal mass value for each point based on the estimated mass of the abdomen wall (est. 8 kg total) and  $F_j$  is determined both based on the neighboring spring-muscle elements and the pressure forces. (Note, higher-order explicit and implicit integration methods would lead to more stable and faster simulation.)

### 6.2. Preserving volume

With volume preservation, the gut-body simulation deforms through a balance of surface tension and internal pressure forces, emulating the physical nature of the human gut as it moves during breath. According to Mines, Hooke’s law applies to many compliant (biological) structures over their physiological range and upholds that volume varies linearly



**Figure 4:** Gut deformation after a heavy impact. The volume in this animation showed a volume error less than 0.5 percent and revealed a tolerable error less than 2 percent during our results for breathing.

with pressure [Min93]. We use this relationship to compute the pressure based on the original volume of the body,  $V_o$  and current volume,  $V$ :

$$P = \kappa \left( \frac{V_o}{V} - 1 \right) \quad (4)$$

where  $\kappa$ , or the bulk ‘‘volumetric’’ modulus (naming convention based on the like term described by Teran et al. [TBHF03],) controls the quasi-incompressibility. Volume estimation is approximated from the sum of a set of pyramidal volumes defined between the mass center of the body and each face on its surface, similar to [CGD97].

To approximate the pressure forces based on the deformation simulation, we triangulate the gut-body surface, compute the area and normal of each triangle, and distribute pressure force evenly among the constituent vertices. Thus, for each mass point  $j$ , a pressure force equivalent to

$$F_{ij} = \max[0, \frac{PA_i}{3} \cdot \mathbf{n}_i], \quad (5)$$

is applied for each neighboring face  $i$ . Here, zero pressure force replaces a negative force under the assumption that the gut is subjected to negligible (atmospheric) pressure from the outside and nothing acts to pull the wall inward.

## 7. Muscle activation for breath control

Actuating several hundred muscle elements, even the simple ones proposed here, in order to create a single coordinated movement in a desired manner requires a practical means of control. We manage a large portion of this complexity through careful modeling and the use of low-level controllers that compute forces based on local conditions. Through intuitive user handles, the remainder of control comes from the tuning of the groups’ collective muscle-element spring parameters.

We control activation for muscle groups by changing the relative contraction value,  $r$ , as a time-varying input parameter and chose to establish  $\alpha$  as a binary switch which moved between on and off at appropriate times, with timing of each based on the frequency of the desired breath. With experimentation, we found this approach to provide intuitive user-handles for muscle actuation. Mines implies that the intercostals and diaphragm are controlled uniquely based on their neural pathways’ differing connection points with the spine [Min93] and, as such, we supply two unique

patterns for the rib and diaphragm *contraction input* signals. While the true nature of such activation remains a mystery according to our background search, such inputs have been proposed previously to control animation of physical muscle simulations: Chen and Zeltzer used handcrafted curves as input for activation [CZ92]; Tu and Terzopoulos used sinusoids [TT94]; and Teran et al. offer a handkeyframed "animator-friendly" ratio based on maximal contractive force [TBHF03].

For normal, steady-state breathing, periodic contraction signals allows the high-level control of the breath frequency directly, usually 13-17 breaths per minute (b/m) in the average human [SH71]. We experimented with the use of both smooth and abrupt changes for the periodic contraction using simple sinusoid and step functions. We found that, for the diaphragm, often referred to as a pump or a plunger, a step function created the desired response. For the intercostals, out-of-phase sine curves lead to visually pleasing, smooth oscillations for the ribcage motion. From the actuation inputs, the control system determines the individual spring forces. Thus, upon inhale, the outer intercostals contract with a smoothly dropping  $r$  leading to the opening forces on the ribs. Meanwhile, the diaphragm plunges down pushing on the gut. At the time of exhale, the contraction in the outer intercostals is slowly released as the inner intercostals begin to contract and the diaphragm releases to allow its return under the internal pressure forces created by the stretched abdomen wall. And so on, the cycle continues.

## 8. Implementation remarks and results

There are too many geometric parameters and engineering decisions embedded in the torso model and the breathing simulation overall to mention each in detail. Instead, we highlight pertinent points and details. The Tables 1 and 2 list general statistics about the spring muscle groups used. Our coarse but anatomically similar skeleton model, downloaded from 3D Cafe (www.3Dcafe.com,) includes 22 rigid body segments for the rigid-body torso approximation (plus an additional six for the arms.) We believe this to be a minimal number of segments possible for the modeling of the ribcage. The geometric model of the gut was created by hand, to fit the rigid-body skeleton. We used both commercial software, Maya from Alias, and some procedural approaches to semi-automatically generate the springs and their groupings. The springs of the diaphragm, were purposefully generated at a higher resolution to afford the desired curvature and flexibility found in the real muscle. Although a small amount of deformable motion is visible in the lower back of humans while breathing, we chose to ignore this motion and did not simulate the backside or bottom of the gut-body, instead using their original fixed location to compute proper volume. In general whenever possible, the springs follow the primary directions of the muscles they model.

### 8.1. Breath styles

We investigated a number of examples related to different breathing styles at different frequencies as well as a non-periodic forced exhale created by actuating the abdomen muscles:

Muscle group	# springs	$k_{ac}$	$k_{pe}$	$b$
intercostals	516	20	-	1.0
diaphragm	464	4	1.0	0.1
rectus	85	15	2.1	0.1
trans./obliq.	350	-	1.5	0.1
misc. shlder	52	-	10	1.0

**Table 1:** Muscle group stats

**Calm breath.** Normal, involuntary breath of healthy individuals which includes a considerable amount of abdomen motion due to the important contribution of the diaphragm. This neutral breath encapsulates the most comfortable and energy-efficient sustainable respiration.

**Slow deep breath.** Also called 'deep belly' breathing in yoga, this movement reaches the full range of the respiratory system in the abdomen, from full inhale with maximum air capacity to the greatest expulsion. This breath is used as exercise and to maintain health, especially for the abdomen, because it forces intense stretching and full contraction.

**Panting breathing.** Opposite of deep 'belly' breathing, the high frequency pulsing of panting breath yields small rapid inhales and exhales where most of the motion is seen in the chest and upper torso. Such 'shoulder' breathing commonly associated with nervousness, can lead to undue stress in the overworked muscles at the top of the ribcage.

**Forced exhale.** In addition to periodic breathing styles, a hard forced exhale can be used to clear the lungs or its passageways. During a forced exhale, the rectus acts to pull the lower ribcage downward and inward as it collapses the abdomen deeply and quickly. (See Figure 5.)

The parameter inputs required for the simulation of these breath styles are summarized in Table 2. With slight variation, we found that fixing the gains and modifying the activation inputs parameters alone gave way to pleasing, easy-to-tune motion. Blank values can be assumed to be zero, implying negligible input, for example we ignore the passive effects of the intercostals in our ribcage in lieu of easier tuning. Also, the rectus is only active during the forced exhale and has a zero  $k_{ac}$  otherwise.

### 8.2. Secondary motion

Once the primary moving parts of the breath simulation were in place, we layered on secondary motion for the chest and arms (as seen in Figure 1 and in the image sequence below the title) following one-way coupling as described by O'Brien and colleagues [OZH00]. A rigid chain of segments for the bones of the shoulder and arms link to the trunk between the sternum and collarbone on either side and move under the influence of several spring muscle groups attached to the spine, ribs, and sternum at anatomically close insertion points. Two pairs of deformable muscle bodies are

Breath style	frequ (b/m)	diaphragm $r$	intercostals $r(t)$	rectus $r$
Casual	15	0.85	$0.92 \pm 0.08$	-
Slow/deep	12	0.80	$0.80 \pm 0.20$	-
Panting	60	0.80	$0.88 \pm 0.12$	-
Forced exhale	-	0.80	$0.80 \pm 0.20$	0.5

**Table 2:** Control parameters


added for the pectorals and the bulk of the shoulder (mostly, the trapezius and deltoids.) These are simulated as volume-preserving bodies and attached with a number of strategically placed, zero-length springs. Their shape is dictated both by the movement of the underlying parts and the volume constraints described in Section 6. Due to its unusual shape, we found it necessary to support the surface of the shoulder body with a small number of internal spring supports. Although we believe this could be avoided by splitting the aggregate shoulder into its constituent muscles, it seemed sufficient for the small amount of movement anticipated of the shoulder muscles during breathing behaviors.

A skin surface is generated based on trajectories of trace vertices that are recorded during simulation and used as control points for a NURBS surface computed through Maya scripting. We add a small percentage offset to account for the layers between the muscle/bone layer and the skin, (non-uniform fat layers remains an interesting area for future work). In practice, once the simulation is complete, the resulting data may be displayed in any number of ways, based on the application. The skin shown in our results only represents one over-simplified, but illustrative example.


Figure 6 shows the lung-cavity volume. While this value was not directly used in the simulation in any way, another area for future work would include investigation of the lungs related to their contribution to behaviors, for example in coughing or for sound simulation for breath. Direct comparison with human motion, like that of the silhouette shown in Figure 5 and live footage (shown in the accompanying videos,) is an invaluable method for validating the visual results of any animation technique that synthesizes real-world phenomena. Computationally, without graphics or secondary elements, the breath simulation runs 60x slower than real-time (simulation time vs. actual time) on a 3.2 GHz Athlon processor. Better computation methods would undoubtedly speed this up. Other limitations include our biased effort applied to the front of the pelvis, which resulted in a simulation that had the mobility of a seated person leaning back against a low-back chair and would require a more diligent effort for gross motion of the torso overall.

## 9. Conclusion

We do not claim that the simulation techniques used to generate our breathing system are themselves particularly so-



**Figure 5:** False shadow comparison. The simulated torso is compared to a real human silhouette, before and after performing a forced exhale, where the rectus contracts actively.



**Figure 6:** Volume for various breath styles. The shown tidal (peak-to-peak) volumes computed for our simulation's lung cavity fall within the realistic human range, with the calm breath (shown in black) falling almost perfectly on the 500 mL average quoted in the texts. Computed post-mortem, this reveals a strong correspondence between our results and that of real human motion.

plicated or efficient. We made selections for these simulation 'building blocks' both based on availability and ease of implementation. Instead, our contributions lie in our methodology and premiere investigations related to the novel application of simulated breath for animation. More sophisticated simulation approaches would still likely require the use of a mixed composition simulation to account for the wide range of materials that contribute to the motion of breath. And, considering the anatomy, the problem of control for any physically based breathing model will require activation of the same muscles of the ribcage and the diaphragm. In this way, we present fundamental insights and suggestions related to the implementation of breathing, independent of the model or simulation. While we focus exclusively on the human torso, the breathing styles of primates and other mammals as well as the many humanlike imaginary characters made possible by computer graphics will share key characteristics that can be managed with the same or similar approaches to the synthetic human breathing and control described here.

We hope that this work will entice other researchers to consider the modeling of the human body from the inside out, based on its anatomical form. Though our model includes a fair amount of simplification, once the anatomy was modeled the desired breathing behavior became easy

to describe and manageable to control. We believe our results support the notion that, while in evolution form follows function, in the synthesis of virtual humans, the sought-for form has already crystallized and by mimicking it, human-like function can emerge from simple mathematical models and proper excitation.

### Acknowledgments

Special thanks to the reviewers who helped improve this work and its presentation, and for the support and software of Russell Smith et al. at ODE.

### References

- [ACP02] ALLEN B., CURLESS B., POPOVIĆ Z.: Articulated body deformation from range scan data. *ACM Transactions on Graphics* 21, 3 (2002), 612–619. 1, 3
- [ACP03] ALLEN B., CURLESS B., POPOVIĆ Z.: The space of human body shapes: reconstruction and parameterization from range scans. *ACM Transactions on Graphics* 22, 3 (2003), 587–594. 3
- [AHS03] ALBRECHT I., HABER J., SEIDEL H.: Construction and animation of anatomically based human hand models. In *Eurographics/ACM SIGGRAPH Symposium on Computer Animation* (July 2003), pp. 98–109. 2
- [BW97] BARAFF D., WITKIN A.: *Partitioned Dynamics*. Tech. Rep. CMU-RI-TR-97-33, Carnegie Mellon University, 1997. 2
- [CGC\*02] CAPELL S., GREEN S., CURLESS B., DUCHAMP T., POPOVIĆ Z.: A multiresolution framework for dynamic deformations. *Eurographics/ACM SIGGRAPH Symposium on Computer Animation* (July 2002), 41–48. 2
- [CGD97] CANI-GASCUEL M.-P., DESBRUN M.: Animation of deformable models using implicit surfaces. *IEEE Transactions on Visualization and Computer Graphics* 3, 1 (1997), 39–50. 2, 5
- [CMN97] CHRISTENSEN J., MARKS J., NGO J. T.: Automatic motion synthesis for 3d mass-spring models. *The Visual Computer* 13, 1 (1997), 20–28. 3
- [CTMS03] CARRANZA J., THEOBALT C., MAGNOR M. A., SEIDEL H.: Free-viewpoint video of human actors. *ACM Transactions on Graphics* 22, 3 (2003), 569–577. 3
- [CZ92] CHEN D. T., ZELTZER D.: Pump it up: Computer animation of a biomechanically based model of muscle using the finite element method. In *Proceedings of SIGGRAPH 92* (1992), pp. 89–98. 2, 3, 6
- [DDCB01] DEBUNNE G., DESBRUN M., CANI M.-P., BARR A. H.: Dynamic real-time deformations using space and time adaptive sampling. In *Proceedings of SIGGRAPH 2001* (2001), pp. 31–36. 2
- [Dis00] Disney’s Dinosaur. Disney Enterprises, Inc., Disney Studios 2000. 2
- [FvdPT97] FALOUTSOS P., VAN DE PANNE M., TERZOPOULOS D.: Dynamic free-form deformations for animation synthesis. *IEEE Transactions on Visualization and Computer Graphics* 3, 3 (1997), 201–214. 3
- [GH24] GASSER H., HILL A.: The dynamics of muscular contraction. *Royal Society of London Proceedings* 96 (1924), 393–437. 3
- [GKS02] GRINSPUN E., KRYSL P., SCHRODER P.: Charms: A simple framework for adaptive simulation. *Proceedings of SIGGRAPH 2002*. (2002), 281–290. 2
- [GMTT89] GOURRET J.-P., MAGNENAT-THALMANN N., THALMANN D.: Simulation of object and human skin deformations in a grasping task. In *Proceedings of SIGGRAPH 89* (1989), pp. 21–30. 2
- [Gra77] GRAY H.: *Gray’s Anatomy*. Edited by T. Pick and R. Howden. Portland House, 1977. 3
- [GT95] GRZESZCZUK R., TERZOPOULOS D.: Automated learning of muscle-actuated locomotion through control abstraction. In *Proceedings of SIGGRAPH 95* (1995), pp. 63–70. 2
- [JP99] JAMES D. L., PAI D. K.: Artdefo - accurate real time deformable objects. In *Proceedings of Siggraph 99* (1999), pp. 65–72. 2
- [KHYS02] KÄHLER K., HABER J., YAMAUCHI H., SEIDEL H.-P.: Head shop: Generating animated head models with anatomical structure. In *Eurographics/ACM SIGGRAPH Symposium on Computer Animation* (July 2002), pp. 55–64. 2
- [KMJ97] KAYE J., METAXAS D. N., JR. F. P. P.: A 3d virtual environment for modeling mechanical cardiopulmonary interactions. In *CVRMed* (1997), pp. 389–398. 2
- [LTW95] LEE Y., TERZOPOULOS D., WALTERS K.: Realistic modeling for facial animation. *Proceedings of SIGGRAPH ’95* (1995), 55–62. 2
- [MDM\*02] MÜLLER M., DORSEY J., MCMILLAN L., JAGNOW R., CUTLER B.: Stable real-time deformations. In *Eurographics/ACM SIGGRAPH Symposium on Computer Animation* (July 2002), pp. 49–54. 2
- [Mil88] MILLER G. S. P.: The motion dynamics of snakes and worms. In *Proceedings of SIGGRAPH 88* (1988), pp. 169–178. 2
- [Min93] MINES A. H.: *Respiratory Physiology*. Raven Press, 1993. 3, 5



- [NF02] NEFF M., FIUME E.: Modeling tension and relaxation for computer animation. In *Eurographics/ACM SIGGRAPH Symposium on Computer Animation* (July 2002), pp. 81–88. 4
- [NT98] NEDEL L. P., THALMANN D.: Real time muscle deformations using mass-spring systems. In *Computer Graphics International 1998* (June 1998). 2
- [OZH00] O'BRIEN J. F., ZORDAN V. B., HODGINS J. K.: Combining active and passive simulations for secondary motion. *IEEE: Computer Graphics and Applications* (July 2000), 86–96. 2, 6
- [PB81] PLATT S., BADLER N.: Animating facial expression. *Computer Graphics* (1981), 245–252. 2
- [PB88] PLATT J. C., BARR A. H.: Constraint methods for flexible models. In *Proceedings of SIGGRAPH 88* (1988), pp. 279–288. 2
- [PBP97] PROMAYON E., BACONNIER P., PUECH C.: Physically-based model for simulating the human trunk respiration movements. In *Lecture Notes in Computer Science 1205* (1997), 379–388. Springer Verlag CVRMED II-MRCAS III first joint conference. 2
- [RSB96] RAPPAPORT A., SHEFFER A., BERCOVIER M.: Volume-preserving free-form solids. *IEEE Transactions on Visualization and Computer Graphics* 2, 1 (Mar. 1996), 19–27. 2
- [SET02] STAHL D., EZQUERRA N., TURK G.: Bag-of-particles as a deformable model. In *IEEE Computer Society: TCGVG, Eurographics Organization* (2002), pp. 141–150. 2
- [SH71] SLONIM N. B., HAMILTON L. H.: *Respiratory Physiology*. The C. V. Mosby Company, 1971. 3, 6
- [Smi03] SMITH R.: Open dynamics engine, 2003. <http://www.q12.org>. 2
- [SMP03] SAND P., MCMILLAN L., POPOVIĆ J.: Continuous capture of skin deformation. *ACM Transactions on Graphics* 22, 3 (2003), 578–586. 1, 3
- [SMT03] SEO H., MAGNENAT-THALMANN N.: An automatic modeling of human bodies from sizing parameters. *Proceedings of the 2003 Symposium on Interactive 3D graphics* (2003), 19–26. 3
- [SPCM97] SCHEEPERS F., PARENT R. E., CARLSON W. E., MAY S. F.: Anatomy-based modeling of the human musculature. *Proceedings of SIGGRAPH 1997* (1997), 163–172. 2
- [Tak94] TAKAHASHI T.: *Atlas of the Human Body*. Harper Collins, 1994. 3
- [TBHF03] TERAN J., BLEMKER S., HING V. N. T., FED-  
KIW R.: Finite volume methods for the simulation of skeletal muscle. In *Eurographics/ACM SIGGRAPH Symposium on Computer Animation* (July 2003), pp. 68–74. 2, 5, 6
- [TF88] TERZOPOULOS D., FLEISCHER K.: Deformable models. *The Visual Computer* 4, 6 (Dec. 1988), 306–331. 2
- [TK90] TERZOPOULOS D., K.WATERS: Physically-based facial modelling, analysis, and animation. *The Journal of Visualization and Computer Animation* (1990), 73–80. 2
- [Tow00] TOWLE: *Modern Biology*. Holt Rinehart & Winston, 2000. 3
- [TPBF87] TERZOPOULOS D., PLATT J., BARR A., FLEISCHER K.: Elastically deformable models. In *Proceedings of SIGGRAPH 87* (1987), pp. 205–214. 2
- [TT94] TU X., TERZOPOULOS D.: Artificial fishes: Physics, locomotion, perception, behavior. In *Proceedings of SIGGRAPH 94* (1994), pp. 43–50. 2, 6
- [Wat87] WATERS K.: A muscle model for animating three-dimensional facial expressions. *Proceedings of SIGGRAPH 87* (1987), 17–24. 2
- [WG97] WILHELMS J., GELDER A. V.: Anatomically based modeling. *Proceedings of SIGGRAPH 1997* (1997), 173–180. 2
- [WW90] WITKIN A., WELCH W.: Fast animation and control of nonrigid structures. *Proceedings of SIGGRAPH '90* (1990), 243–252. 3
- [Zaj89] ZAJAC F.: Muscle and tendon: Properties, models, scaling, and application to biomechanics and motor control. *CRC Critical reviews in biomedical engineering* 17 (1989), 359–411. 4